

TENDER /RFP FOR UNIWORLD CITY ROAD WORKS**Name of Work: - UNIWORLD CITY INTERNAL ROAD REPAIR WORK****CLIENT: KUCAOA****RFQ NO:** UWC/ROAD/PHASE 1A/2024/04 Dated: 10.07.2024

Corrigendum Notice Closing Date of Quotation: 19.07.2024 at

17.00 hrs. SEALED QUOTATION OPENING DATE: 20.07.2024 at

11.00 hrs.

Authority: - President, Kolkata Uniworld City Apartment Owners Association.

Sealed Documents to Be Delivered: -Uniworld City, Facility Maintenance Office,
Action Area III, New Town, Kolkata -700160.

Survey: - Survey if required is to be conducted by the OEM/Partner at their own cost for:

Approximate required quantity is mentioned but the exact quantity may vary depending upon actual requirement. The minimum price per unit needs to be quoted and all prices need to be valid till 31st Dec, 2024.This is a Rate Contract for implementation till 31st May, 2025.

Detail Specification of the Items are mentioned in the RFQ.

Phase I Implementation: -Scope of workThe current scope of UNIWORLD CITY INTERNAL ROAD REPAIR WORK is detailed as under below:**UNIWORLD CITY INTERNAL ROAD REPAIR WORK****UNIWORLD CITY ROAD WORKS**

SI No	Description	Qty	Unit	Rate	Amount
1	Surface Cleaning of old bituminous layer or seal coat of old black topped surface and cleaning the exposed surface by scraping the material & disposing all materials outside the complex and the Final cleaning to be done by the compressed air as directed by the Engineer-in-Charge prior to the next activity .	55,000.00	SQM		
2	Tack coat Providing and applying tack coat with Cationic Bitumen Emulsion of approved grade conforming to IS:8887-1978 on the prepared surface, moistening the surface including cost and carriage of emulsion, hire charges of machinery and lab our, cost of fuel and lubricants all complete as per clause 503 of Specifications for Road & Bridge Works of MoRT&H (5 th Revision) as directed by the Engineer-in-Charge.	55,000.00	SQM		
3	Providing and laying bituminous concrete for filling the pot holes manually from Hot Mix Plant using approved crushed aggregate of specified grading as per Table 500.7 mixing in specified proportion conforming to job mix premixed with bituminous binder, transported to site & proper compaction with roller to achieve the desired compaction as directed by Engineer-in-Charge.	10,000.00	SQM		
4.1	Bituminous Macadam using Hot Mix Plant (HMP) Providing and laying bituminous macadam with Hot Mix Plant using approved crushed aggregate of specified grading as per Table 500.7 mixing in specified proportion conforming to job mix premixed with bituminous binder, transported to site laid by sensor operated Paver over a previously prepared surface at laying temperature of Minimum 120 degree Celsius to the required grade, level and alignment and rolled with minimum 12T power roller for break down, inter-mediate and finished rolling as per specification to achieve the 100% compaction including cost and carriage of stone materials and bitumen, hire charges of machinery and equipment, cost of fuel and lubricants and wages of operational staff, quality control complete as per Clause 503/505 of Specifications for Road & Bridge Works of MoRT&H (5 th Revision). Compaction test to be done as per the instruction of Engineer-in Charge by the third-party laboratory & result to be submitted along with the invoices for approval 40mm Compacted thickness in Main Road	18,000.00	SQM		
4.2	Bituminous Macadam using Hot Mix Plant (HMP) Providing and laying bituminous macadam with Hot Mix Plant using approved crushed aggregate of specified grading as per Table 500.7 mixing in specified proportion conforming to job mix premixed with bituminous binder, transported to site laid by sensor operated Paver over a previously prepared surface at laying temperature of Minimum 120 degree Celsius to the required grade, level and alignment and rolled with minimum 12T power roller	35,000.00	SQM		

	<p>for break down, inter-mediate and finished rolling as per specification to achieve the 100% compaction including cost and carriage of stone materials and bitumen, hire charges of machinery and equipment, cost of fuel and lubricants and wages of operational staff, quality control complete as per Clause 503/505 of Specifications for Road & Bridge Works of MoRT&H (5th Revision).</p> <p>Compaction test to be done as per the instruction of Engineer-in Charge by the third-party laboratory & result to be submitted along with the invoices for approval</p> <p>25mm Compacted thickness in Internal Road</p>				
	<p>Bituminous Macadam using Hot Mix Plant (HMP)</p> <p>Providing and laying bituminous macadam with Hot Mix Plant using approved crushed aggregate of specified grading as per Table 500.7 mixing in specified proportion conforming to job mix premixed with bituminous binder, transported to site laid by sensor operated Paver over a previously prepared surface at laying temperature of Minimum 120 degree Celsius to the required grade, level and alignment and rolled with minimum 12T power roller for break down, inter-mediate and finished rolling as per specification to achieve the 100% compaction including cost and carriage of stone materials and bitumen, hire charges of machinery and equipment, cost of fuel and lubricants and wages of operational staff, quality control complete as per Clause 503/505 of Specifications for Road & Bridge Works of MoRT&H (5th Revision).</p> <p>Compaction test to be done as per the instruction of Engineer-in Charge by the third-party laboratory & result to be submitted along with the invoices for approval</p> <p>15mm Compacted thickness in Parking Area</p>	2,000.00	SQM		
5	<p>Providing and laying Seal Coat (Type-B) from Hot mix plant with approved quality sand/grit @ 0.60 cum/ 100 sqm and bitumen binder on thoroughly cleaned black top surface coated with tack coat, including heating and mixing cleaned sand/grit (100% passing through 2.36 mm sieve and retained on 180 micron sieve) uniformly with bitumen binder, laying and spreading the mix at an uniform rate using suitable means, brushing the surface, if necessary, to ensure uniformity, followed by rolling with power roller including cost and carriage of binder and aggregates, cost of heating the binder and aggregates and all other incidental charges, cost of fuel and lubricants, including hire charges of machineries, tolls & plants required for construction and quality control complete as per Clause 511 of Specifications for Road & Bridge Works of MoRT&H (5th Revision). [By Mechanical means]</p> <p>Compaction test to be done as per the instruction of Engineer-in Charge by the third-party laboratory & result to be submitted along with the invoices for approval</p>	55,000.00	SQM		
6	<p>Filling Pot holes with Over burnt brick bats with Sand and proper ramming & top 25mm to be filled with bituminous concrete with proper compaction as directed by the engineer</p>	Rate Only	SQM		

Notes: - GST as applicable on all items should be mentioned with the rates.

1. Warranty of Bituminous layer 40mm for 3 minimum Years and 25mm& 15 mm minimum 2 years to be provided by the vendor.
2. Retention money @10% will be deducted from the Invoices in each case.

Date:-

Signature of Bidder with office seal

Special Terms and Conditions

1. The supplied materials will be checked and passed by the competent authority of KUCAOA.
2. Both the rates are to be quoted in columns, i.e., without GST and with GST.
3. **The applicable GST rate needs to be mentioned below the rate schedule in proper place.**
4. Prior to quoting of rate surveying of Uniworld City complex Contact Facility Office.
5. Invoice, Challan, Warranty certificate, Inspection/Acceptance certificates have to be submitted to the committee for making payment after thorough checking of the Quality of the work. A Work Completion certificate will be duly certified by Civil in Charge along with Road Vertical before releasing of Payments from KUCAOA Authority.
6. Payment will be made as per recommendation of KUCAOA competent authority.
7. The representative or technical personnel of vendor should be provided with proper Identity card during every visit.
8. The credential of similar type of work done in past 03 years may please be submitted along with quotations. Preference will be given to those bidders who has done similar work in any residential complex. Its also expected that the bidder will have experience of minimum 5 yrs of such similar work .
9. Only hard copy of Quotation duly signed and sealed envelope within scheduled date and time will be accepted. No mail or Fax/WhatsApp or unsealed loose paper will be accepted.
10. The work to be started within 07 days after issuance of letter of acceptance (LOA).
11. 10% Retention Money will be Deducted from the Certified Invoices.
12. Warranty of Bituminous layer 40mm for 3 minimum Years and 25mm& 15 mm minimum 2years To be provided by the vendor.
13. For any clarifications, please contact Facility Manager Mr. Anghuman Bhattacharyya Mob. No. 7596041170.
14. It will be Vendors responsibility to enforce all safety measures/precautions required as per relevant codes for carrying out the work.
15. Normally no extensions of the scheduled delivery or completion dates should be granted except where events constituting force majeure, as provided in the contract, have occurred or the other circumstances demands for.

Termination for Default: The client may, without prejudice to any other remedy for breach of contract, by written notice of default sent to the Bidder, terminate the Contract in whole or in part: If the Bidder fails to deliver any or all of the Goods within the period(s) specified in the Contract, or within any extension thereof granted by the Purchaser; or If the Bidder fails to perform any other obligation(s) under the Contract. If the Bidder, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract. For the purpose of this clause: "Corrupt practice" means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution. "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution or a contract to the detriment of the borrower and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the borrower of the benefits of free and open

competition. In the event the Purchaser terminates the Contract in whole or in part, the Purchaser may procure, upon such terms and in such manner as it deems appropriate, Goods or services similar to those

undelivered, and the Bidder shall be liable to the Purchaser for any excess costs for such similar Goods or services. However, the Bidder shall continue the performance of the Contract to the extent not terminated. The contractor/bidder shall not display the photographs & content of the work and also will not take advantage through publicity of the work without written permission of the Institute. Non-Compliance to this may result in the blacklisted of firm. The incomplete and conditional tender will be rejected. Quoting unrealistic rates will also be treated as a disqualification.

Force Majeure: In no event shall either Party have any liability for failure to comply with this Agreement, if such failure results directly from the occurrence of any contingency beyond the reasonable control of the Party, including, without limitation, strike or other labor disturbance, riot, major power failure, war, natural calamities including but not limited to floods, earthquakes, fire, volcanic eruptions, epidemics, National

Emergency, interference by any government or governmental agency, embargo, seizure, or enactment or abolition of any law, statute, ordinance, rule, or regulation (each a " Force Majeure Event"). In the event that either Party is unable to perform any of its obligations under this Agreement because of a Force Majeure Event, the Party who has been so affected shall as soon as be, after coming to

know of the Force Majeure Event, inform the other Party and shall take reasonable steps to resume performance as soon as may be after the cessation of the Force Majeure Event. If the period of non-performance due to a Force Majeure Event exceeds thirty (30) days, the Party whose ability to perform has been so affected may, by giving written notice, terminate this Agreement.

Date:-

Signature of Bidder with office seal

Annexure-A
Tender Acceptance Letter
(To be given on Company Letter Head)

Date:

To,

Sub: Acceptance of Terms & Conditions of Tender.

Tender Reference No: _____

Name of Tender / Work: -

Sir,

1. I / We hereby certify that I / we have read the entire terms and conditions of the tender documents (including all documents like annexure(s), etc.), which form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein.

3. The corrigendum(s) issued from time to time by your department/ organization too has also been taken into consideration, while submitting this acceptance letter.

4. I / We hereby unconditionally accept the tender document conditions of above-mentioned tender document / corrigendum(s) in its totality / entirety.

5. In case any provisions of this tender are found violated, then your department/ organization shall without prejudice to any other right or remedy be at liberty to reject this tender/bid including the forfeiture of the full said earnest money deposit absolutely.

Yours Faithfully,
(Signature of the Bidder, with Official Seal)

Annexure B:

Undertaking

It is certified that my Firm/Agency/Company has never been black listed/debarred by the any of the Government Departments/Autonomous Institutions/Universities/Public Sector Undertaking of the Government of India/ any State Government/semi -Govt/corporation/ reputed educational institutions and no criminal case is pending against the said Firm/Agency/Company.

Signature of the Authorized Signatory -----

Name of the Signatory-----

Name of the Firm/Agency/Contractor-----

Seal of the Firm/Agency/Contractor-----

Place-----

Date-----

Annexure-C
CERTIFICATE OF GUARANTEE/WARRANTY

(This certificate may be reproduced)

- i) I/We certify that the guarantee/warranty shall be starting from the date of satisfactory installation, commissioning and handing over of the equipment and of works conducted therewith covered under the Supply order in working Condition. During the guarantee/warranty period I/We shall provide “after sale service” and the replacement of any part(s) of the equipment or rectification of defects of work of the equipment will be free of cost. The replacement of the parts shall be arranged by us, at our own cost and responsibility. We undertake that the above guarantee/ warranty shall begin only from the date of installation, commissioning and handing over the equipment in working order. The benefit of change in dates of the guarantee/warranty period shall be in the interest of the user/your Institute.
- ii) During the warranty period, we shall provide service and visits & all repairing work without any charges.
- iii) Uptime Guarantee: During the guarantee/warranty period, we will be responsible to maintain the road in good working condition and all the complaints will be attended by us within 5 days of receipt of the complaint in our office. In case there is delay of more than 5 days in attending to a complaint from our side then you can count the number of days in excess of the permissible response time in the downtime.
- iv) We certify that the executed work being offered/quoted is the latest and that quality of work will be available for a period of at least 2 years and we also guarantee that we will keep the client informed of any up-date of the quality of the work over a period of 2 years.
- v) We guarantee that we will execute the work if and when required on agreed basis for an agreed price. The agreed basis could be an agreed discount at the time of discussing the price with the Road Committee as per the agreed percentage of profit on the landed cost.
- vi) We guarantee the entire road against defects of workmanship and poor quality of work.

Date :

**Authorized Signatory Place
(With Seal)**

Annexure-D
DECLARATION SHEET

We..... hereby certify that all the information and data furnished by our organization with regard to this tender specification are true and complete to the best of our knowledge. I have gone through the specification, conditions and stipulations in details and agree to comply with the requirements and intent of specification. This is certified that our organization has been authorized (Copy attached) by the OEM to participate in Tender. We further certified that our organization meets all the conditions of eligibility criteria laid down in this tender document. Moreover, OEM has agreed to support on regular basis with technology / product updates and extend support for the warranty.

We, further specifically certify that our organization has not been Black Listed/De Listed or put to any Holiday by any Institutional Agency/ Govt. Department/ Public Sector Undertaking.	NAME & ADDRESS OF THE Vendor/ Manufacturer / Agent
1. Phone	
2. FAX	
3. Email	
4. Contract person Name	
5. Mobile Number	
6. GST Number	
7. PAN Number	

Date :

**Authorized Signatory Place
(With Seal)**